Redwood PVC
The Strip Curtain Specialists

Hook-On Curtains

Reliable PVC strip curtain systems for warehouses, production areas and pedestrian access



Fast to install

Easy strip replacement

Ideal for pedestrian, pallet truck & light forklift areas

Unbeatably quick, easy and flexible.

Headrails come in standard lengths that are simply screwed/bolted into position. *(Fixings not supplied.)*

Can be surface or soffit mounted and ganged-up/cut to fit any width of door.

PVC strips come fitted with steel suspension plates that simply hook on (or off) the matching hook-rails for ultimate ease/convenience.

Takes 100mm, 200mm 300mm & 400mm strips in a range of spec options to suit all uses and locations.


Can be manufactured to span any size of opening width or height.


Instant Benefits:

- Cuts energy bills by preserving heat and/or cold
- Protects employees and/or goods from weather, dust, noise and flying pests
- Can be used as door curtain, canopy wall or partition
- Replacement strips are available as cost-effective way to prolong curtain life





Overlap options for 200mm wide PVC (up to 3m high)





Overlap options for 300mm wide PVC (up to 5.5m high)








Overlap options for 400mm wide PVC (up to 10m high)









Sliding options available - contact us for more details.

DOORSTRIP HOOK-ON HEAD RAIL SYSTEM

(Available in galvanised and stainless steel)

Strip Overlap Guide

100mm strips: 18% overlap (18mm each side)



200mm strips: 36% overlap (36mm each side)



200mm strips: 77% overlap (77mm each side)




300mm strips: 36% overlap (54mm each side)



300mm strips: 63% overlap (95mm each side)



300mm strips: 90% overlap (136mm each side)



400mm strips: 36% overlap (72mm each side)

400mm strips: 56% overlap (113mm each side)

400mm strips: 77% overlap (154mm each side)

400mm strips: 100% overlap (190mm each side)


Installation

Please read before proceeding.

Your order has been carefully prepared and checked. In the packaging you'll find PVC strips and rails.

Universal rails can be either: **Face Fitted** *(Fig. 1)* or **Underside Fitted** *(Fig. 2)*. Both require M6 fixings - not supplied.

Fig.1







Fig.2


If there are two or more rails supplied, these simply butt together end-to-end to cover your span.

Fitting between jambs (300mm or 400mm wide strips only). These strips will slightly overhang the ends of the rails. To compensate, leave appropriate gaps before and after the rails - as shown below.

300mm strips.
Leave minimum 10mm between jamb and rail at both ends.




400mm strips.
Leave minimum 15mm between jamb and rail



To achieve the correct overlap hang the first strip with the flat side of the rivets towards you. Leave an appropriate gap of hooks / slots (see Guide) then hang the next strip in the same way. Hang the next strip across the gap (this time with the flat side of the rivets away from you. Carry on like this until you reach the end of your rail.

Flat side of rivets face into each other



Each PVC strip should be trimmed 20mm above floor level to allow it to hang freely.

Redwood PVC
The Strip Curtain Specialists



Why Redwood?

High quality PVC strip curtains, expert advice and a reliable service you can trust.

Reduces Energy Costs
Helps maintain room temperatures by keeping heat in and cold out.

Protects People and Products
Shields against weather, dust, noise and flying pests.

Quick & Easy to Install
Headrails simply screw or bolt into position. Strips hook on in seconds.

Flexible for Any Opening
Rails can be surface or soffit mounted, ganged-up or cut to fit any width.

Wide Range of Options
100mm, 200mm, 300mm & 400mm strips in various thicknesses and finishes.

Easy Maintenance
Individual strips can be replaced quickly and cost-effectively to extend curtain life.

Expert Support
Specialist advice to help you choose the right specification for your needs.

Reliable Supply
High quality products and dependable service for trade and commercial customers.



Clear PVC
General purpose for most environments.



Transparent Colours
Ideal for light control and visual separation.



Solid Colours
For privacy, light exclusion and zoning.



Specialist Options
Anti-Static and Fly Mesh for sensitive or hygiene areas.