Redwood PVC
The Strip Curtain Specialists

Sliding Curtains

Clear access.
Whenever you need it.

A quick and easy way to temporarily clear your curtained doorway.

Slides sideways
Clear access
when you need it



Sliding track system - close-up

Need the opening clear?

PVC Strip Curtain Kits - Sliding Track

When a fixed PVC strip curtain isn't practical, slide the whole curtain to one or both sides for access when you need it.



Closed for everyday separation



Slide open for clear access

Supports temperature control, hygiene and efficient workflow, with a system designed to order for your opening, traffic and working environment.

When to choose sliding

- Frequent forklift or pallet truck access
- Full opening clearance needed at times
- No space for hinged doors
- Quick manual access for operators
- Access for cleaning or maintenance

Instead of pushing through fixed strips, slide the entire curtain open.

Designed for your application

Warehouses & distribution centres • Food production • Cold storage & chilled rooms • Industrial workshops • Loading bays & large openings • Manufacturing facilities

We specify the right: track type, mounting method, curtain weight and PVC grade, opening direction (left, right or centre split), and fixing configuration.

Custom designed. Not off-the-shelf.

Track length, curtain weight, available sliding space and direction all matter. Our team will specify a made-to-measure solution for your exact dimensions.

Options: single-direction or centre-opening curtains, heavy-duty industrial tracks, wide-opening systems and temperature-control sliding barriers.

The quickest route to the right solution?

Speak to our team.

Expert specification advice for your opening.

01275 810289 sales@redwoodstripcurtains.co.uk

Sliding track system

Quick, easy and flexible.



Curtain closed



Curtain open

How it works

Track rails can be cut down or ganged up to produce any width of sliding curtain.

Hook-on or swivel-hinge rails come pre-fitted with wheeled hangers that simply slot into the track before fixing in place. PVC strips are then fitted in place as normal.


Galvanised steel only.

Diagram notes
Drawings show hook-on set-up only. Swivel-hinge rails and Twin-track rail work in the same way, except the wheels fix directly to those rails without an aluminium channel section.


Allow space to slide
Curtains move straight sideways like a sliding door. They do not fold, concertina or bend around corners. Clear linear space is needed alongside the opening. Part-sliding or double-track options are available if this is not possible.

Face fitting


Rail and bracket set-up options



Underside fitting



Mounting brackets



Single face bracket
82mm H / 50 x 50mm

Double face bracket
82mm H / 104 x 50mm

Underside bracket
56mm H / 90 x 50mm

No double bracket is available for underside fitting.

SAMPLE TRACK CONFIGURATIONS:

There must be a structural surface for the sliding rails to fix to above and/or beside the opening

Fully sliding for maximum clearance - requires clear space at one or both sides of the opening

Single curtain / single track



2-part curtain / single track



2-part curtain / double track



3-part curtain / double track



4-part curtain / double track



Part fixed / sliding - where only partial clearance is needed OR there is no clear space at sides

1-part fixed / 1-part sliding / single track / 50% clear



1-part fixed / 2-parts sliding / double track / 66% clear



2-parts fixed / 1-part sliding / single track / 33% clear



2-parts fixed / 2-parts sliding / single track / 50% clear

